



Fifty-One

COLLECTION

TTOTALLY

ENTERPRISES, LLC

totallycarpet.com

888.882.1500



Fifty-One
Worsted 1005-A4005
Tile + Monolithic

TOTALLY
ENTERPRISES, LLC
totallycarpet.com
888.882.1500



Fifty-One
Worsted 1005-A4005
Tile + Quarter Turned



Fifty-One
Worsted 1005-A4005
Tile + Ashlar

TOTALLY
ENTERPRISES, LLC
totallycarpet.com
888.882.1500

TOTALLY
ENTERPRISES, LLC
totallycarpet.com
888.882.1500



Fifty-One
 Worsted 1005-A4005
Broadloom


TOTALLY
 ENTERPRISES, LLC
 totallycarpet.com
 888.882.1500




ARCHITECTURAL
 XP STYLE
 1005-C9779




AUTHENTIC
 1005-A3123



XP CONCRETE
 FINISH
 1005-D0911




CONTEMPORARY
 1005-A2036



DESIGN FIRM
 1005-F1633




XP HAND
 GLAZED
 1005-B2319



HIGHLIGHT
 1005-A2097



MODERN
 STUDIO
 1005-B3146



XP NATURAL
 1005-C4095



XP ORGANIC
 1005-B2220




RAVE REVIEW
 1005-A2026




XP SMOKED
 GLASS
 1005-D7626



SPECTRUM
 1005-B6146



STREAMLINE
 1005-C3167



XP STYLISTIC
 EDGE
 1005-B9709



SUBTLE HUE
 1005-B0719



XP WORSTED
 1005-A4005

XP indicates Quickship colors

Style Name	Fifty-One
Style Number	1005
Pattern Repeat	0.6" W x None
Tufted Yarn Weight	35 oz
Gauge	1/10
Construction	Tip-Sheared Enhanced Loop
Face Yarn	100% Solution-Dyed Nylon
Yarn Spec	Cortex™ (Patent Pending) Twisted & Heatset for High Performance.
Tufts per Sq. Inch	200 (Gauge x Stitch Rate x Tufts/Stitch)
Pile Height	0.125
Primary Backing	4 oz Woven Polypropylene
Secondary Backing	High Performance Backing System with 18x5 Lino ActionBac
Tile Backing	Vinyl composite with recycled content
Width Broadloom	12'
Tile Size	24" x 24"
Post Installation Protection	Plastic protection is prohibited. It causes discoloration and accelerated soiling. Craft paper, corrugated box material or masonite are recommended.
Treatments	Commercial carpet soil protection & static control
Broadloom Adhesive	Totally Premium Broadloom Adhesive
Tile Adhesive	Totally Premium Tile Adhesive
Flammability	Passes Class 1 (ASTM E-648)
Electrostatic Propensity	Passes AATCC - 134 @ 3.5 KV or less
Dye Lot Size	Unlimited
Custom Colors & Weight	Please Inquire
Origin	Made in USA
LEED	Contributes to Leed Credits
CRI	Green Label Plus
Warranty	Tile: Limited Lifetime Broadloom: Ten Year Limited

TOTALLY

ENTERPRISES, LLC

totallycarpet.com

888.882.1500

