

**ENTERPRISES, LLC** 

# **XLBrands**

# **Material Safety Data Sheet** Stix® Seam Latex



#### SAFETY DATA

#### Manufacturer's Name:

XL Brands 198 Nexus Drive Dalton, GA 30721 1-800-367-4583

#### 24-hour Emergency: Chemtrec 1-800-424-9300

**Product Identification:** Product Class: Natural Latex Product Name: Stix Seam Latex

Hazardous Ingredients: This product is made with natural latex, which can cause allergic reactions in susceptible individuals.

Contains < 1% aqueous ammonia CAS# 1336-21-5; TLV 25 ppm \*All components of this product appear on the Inventory of Chemical Substances published by the U.S. Environmental Protection Agency (EPA) under the authority of the Toxic Substances Control Act (TSCA).

## **Physical Data:**

Boiling Point: 212° F

Vapor Density: Same as water Evaporation Rate: Same as water

Appearance: Cream liquid Odor: Low ammonia

Weight per Gallon: 8.0 lbs. typical

Solubility in Water: Not soluble (dispersible) VOC (grams per liter): "Zero" calculated

# Fire and Explosion Hazard Data:

Flammable Limits: Non-flammable

Flash Point: > 212° F Flammability Classification: OSHA: None, DOT: None Extinguishing Media: CO<sub>2</sub>, chemical foam, water fog

#### Special Fire Fighting Features:

Wear self-contained breathing gear when in confined area

#### **Health Hazard Data:**

Threshold Limit Value: Not established Effects of Overexposure: No known chronic overexposure effects

# **Emergency and First Aid Procedure:**

Eye Contact: May cause irritation. In case of eye contact, flush with water for 10-15 minutes. If irritation persists, consult a physician.

Skin Contact: Prolonged contact may cause slight irritation of the skin. Wash with soap and water. If swallowed, consult a physician. Inhalation: If symptomatic, move to fresh air. Get medical attention if symptoms occur.

#### **Reactivity Data:**

Conditions to Avoid: Excessive heat or cold

Stability: Stable

Incompatibility: None known

Hazardous Decomposition Products: None

known; Normal (CO2, CO)

Hazardous Polymerization: Will not occur

### Precautions for Handling and Use:

Ventilation: Local ventilation Protective Gloves: Recommended Eye Protection: Safety glasses

Hygienic Practices: Wash with soap and

water after exposure

Respiratory Protection: Not required with

adequate ventilation

Other Protective Equipment: None Spills: Cover small spills with inert absorbent, then sweep up and place in waste disposal container. Dispose of in accordance with Federal, State and Local regulations.

#### **Special Precautions/Other Comments:**

Precautions to be taken in handling and storing: Store inside at a temperature of 60°-100° F. Do not allow product to freeze. Other precautions: None

#### **Transportation Data:**

D.O.T. Hazard Class: Unregulated

MSDS - Stix® Seam Latex

Revision Date: 01.18.12